


Digital depth calipers

- Measuring range: 0 - 500 mm.
- Resolution: 0.01 mm.
- mm/inch conversion.
- On and off switches.
- Reset.
- With or without hook.
- Power supply: 1 battery (V357).


Item No.	Measuring range/mm	Base length mm	Price EUR
Without hook:			
907.886	0 - 150	100	
907.887	0 - 200	100	
907.888	0 - 300	100	
907.898	0 - 500	120	
With hook:			
906.310	0 - 200	100	
906.311	0 - 300	100	
906.312	0 - 500	100	
Option:			
836.535	Spare battery		



Depth calipers

- Measuring range: 0 - 500 mm.
- Vernier: 0.02 mm.
- Stainless steel construction.
- No-glare chrome finished scale and vernier.
- With or without hook.


Item No.	Measuring range/mm	Base length mm	Price EUR
Without hook:			
906.313	0 - 200	100	
906.315	0 - 300	100	
906.317	0 - 500	100	
With hook:			
906.319	0 - 200	100	
906.321	0 - 300	100	



Depth calipers

Depth calipers with or without hook. The models with a hook have graduations on both sides of the scale, allowing reversed usage (i.e. without hook) of the instrument.

- Measuring range: 0 - 1000 mm.
- Vernier: 0.05 mm.
- No-glare chrome finished vernier.
- DIN 862.
- Length (l) and width (w) of the hook at a scale cross-section of 8 x 3 mm: 12 x 5 mm, 12 x 4 mm: 16 x 10 mm, 20 x 5 mm: 54 x 19 mm.



Special steel

Item No.	Meas. range mm	Base length mm	Cross-section scale/mm	Price EUR
Without hook:				
836.445	0 - 200	100	8 x 3	
836.446	0 - 300	150	12 x 4	
836.448	0 - 500	250	20 x 5	
836.449	0 - 800	250	20 x 5	
836.450	0 - 1000	250	20 x 5	
With hook:				
836.431	0 - 200	100	8 x 3	
836.433	0 - 300	150	12 x 4	

Stainless steel, no-glare chrome finished scale

Item No.	Meas. range mm	Base length mm	Cross-section scale/mm	Price EUR
Without hook:				
836.402	0 - 200	100	8 x 3	
836.403	0 - 300	150	12 x 4	
836.404	0 - 500	150	12 x 4	
836.405	0 - 500	250	20 x 5	
836.407	0 - 800	250	20 x 5	
836.410	0 - 1000	250	20 x 5	
With hook:				
836.412	0 - 200	100	8 x 3	
836.413	0 - 300	150	12 x 4	
836.414	0 - 500	150	12 x 4	
836.415	0 - 500	250	20 x 5	
836.417	0 - 800	250	20 x 5	
836.420	0 - 1000	250	20 x 5	

Digital depth gauge

- Measuring range: 0 - 21.5 mm.
- Resolution: 0.01 mm.
- mm/inch conversion.
- On/off switch.
- Reset.
- Measuring face: 45 x 6 mm.
- Measuring pin: 6 x 2 mm, taper to 4 x 2 mm.
- Power supply: 1 battery (V357).



Item No.	Measuring range/mm	Price EUR
907.861	0 - 21.5	
Option: 836.535 Spare battery		

Depth gauge with dial


- Measuring range: 0 - 25 mm.
- Graduation: 0.1 mm.
- Measuring face: 60 x 25 mm.
- Measuring pin: $\varnothing$ 3 mm.



Item No.	Measuring range/mm	Price EUR
853.110	0 - 25	

Depth calipers for keyway depths

- Measuring range: keyway depths 0 - 60 mm.
- Application range: cylinders $\varnothing$ 5 - 200 mm.
- Vernier: 0.05 mm.
- Stainless steel construction.



Item No.	Application range/mm	Price EUR
907.192	$\varnothing$ 5 - 80	
907.193	$\varnothing$ 6 - 120	
907.194	$\varnothing$ 7 - 160	
907.195	$\varnothing$ 8 - 200	

Käfer depth dial indicators

- Measuring range: 0 - 30 mm.
- Graduation: 0.01 mm.
- Measuring pin shaft: $\varnothing$ 2 mm.
- Measuring depth with pin 852.385: 200 mm.
- Excl. measuring pin and measuring base.
- Accuracy conforms to DIN 878 (852.383) or factory standard (852.384).

NEW



Item No.	Measuring range/mm	Price EUR
852.383	0 - 10	
852.384	0 - 30	
Options: 852.385 Measuring pin $\varnothing$ 2 mm 907.153 Meas. base 63 x 17 mm 907.165 Meas. base 101.5 x 17 mm*		

* Larger sizes available on request.