


# TESA Calipers with Extra Long Jaws

– With extra long jaws and fine adjust device





No			mm		A	B	C
			mm	mm			
00510921	0 ÷ 500	0,02	28	6	250	10	30
00510922	0 ÷ 500	0,05	28	6	250	10	30
00510931	0 ÷ 800	0,02	32	8	300	10	30
00510932	0 ÷ 800	0,05	32	8	300	10	30
00510941	0 ÷ 1000	0,02	32	8	300	10	30
00510942	0 ÷ 1000	0,05	32	8	300	10	30

*Optional Accessory*  
**0051610365** Magnetic magnifying glass, 3x magnification.

- ✓
- Factory standard
- Satin-chrome scale background; main scale slightly set back for wear protection.
- Hardened stainless steel
- Wooden case
- Identification number
- Declaration of conformity

– With hook jaws for external dimensions



No				
00510911	0 ÷ 250	0,02		
00530911	0 ÷ 250	0,02	0 ÷ 10	0.001
00510912	0 ÷ 250	0,05		

*Optional Accessory*  
**0051610365** Magnetic magnifying glass, 3x magnification.

- ✓
- NF E 11-096
- Satin-chrome scale background; main scale slightly set back for wear protection.
- Hardened stainless steel
- Wooden case
- Identification number
- Declaration of conformity



DIN 862  
(Style DN-2)  
NF E 11-091


Satin-chrome  
scale background;  
main scale  
slightly set back for wear  
protection.

Hardened  
stainless steel


Wooden case

Identification  
number

Declaration  
of conformity



## TESA Calipers with Knife-Edge Jaws for internal Dimensions



No	mm	mm	in	in
00510915	0 ÷ 250	0,02		
00530915	0 ÷ 250	0,02	0 ÷ 10	0.001
00510916	0 ÷ 250	0,05		

*Optional Accessory*  
0051610365 Magnetic magnifying glass, 3x magnification.



NF E 11-096


Satin-chrome  
scale background;  
main scale  
slightly set back for wear  
protection.

Hardened  
stainless steel

Wooden case

Identification  
number

Declaration  
of conformity



## TESA Calipers with Vee Bridge



Made to measure groove and slot depths on cylindrical shafts.

No	mm	mm	a	b	c	d	e	f	A
00512015	5 ÷ 80	0,05	8	2	18	5	32	10	60
00512016	6 ÷ 120	0,05	8	2	18	5	34	10	90
00512017	7 ÷ 160	0,05	10	2	21,5	5	42	10	120

*Optional Accessory*  
0051610365 Magnetic magnifying glass, 3x magnification.

## TESA Calipers for Turned Grooves

Specially designed for measuring groove or slot diameters, e.g. on safety rings.



No	mm	mm	mm		A	B	C
			a	b			
00510371	10 ÷ 160	0,05	16	3	0,9	3	25
00510375	20 ÷ 160	0,05	16	3	2	5	40
00510383	26 ÷ 200	0,02	16	3	3	7	60
00510385	26 ÷ 200	0,05	16	3	3	7	60
00510387	30 ÷ 250	0,02	20	4	4	8,5	80
00510391	30 ÷ 250	0,05	20	4	4	8,5	80
00510393	35 ÷ 300	0,02	20	4	5	10	100
00510395	35 ÷ 300	0,05	20	4	5	10	100

*Optional Accessory*

0051610365 Magnetic magnifying glass, 3x magnification.



Factory standard

Satin-chrome scale background; main scale slightly set back for wear protection.

Hardened stainless steel


Wooden case

Identification number

Declaration of conformity

## ETALON Gear Tooth Caliper

Measures gear tooth thickness on the primary diameter.



No	mm	Module

*Optional Accessory*

0051610365 Magnetic magnifying glass, 3x magnification.



Factory standard


Each slider with fine adjust device

Hardened stainless steel. Tungsten carbide coated measuring faces

Wooden case


Identification number

Declaration of conformity



## TESA Calipers for Scribing

Feature a thick movable jaw that serves as resting surface for your scribing job – Graduated beam on back for depth measurement without the vernier.



No	mm	mm	in	in
00532023	0 ÷ 300	0,05	0 ÷ 12	1/128

*Optional Accessory*  
**0051610365** Magnetic magnifying glass, 3x magnification.



NF E 11-091

Satin-chrome scale background; main scale slightly set back for wear protection.

Hardened stainless steel

Wooden case

Identification number

Declaration of conformity



Factory standard


Satin-chrome scale background; main scale slightly set back for wear protection.

Hardened stainless steel

Wooden case

Identification number

Declaration of conformity



No	mm	in	A mm	a mm	b mm
<i>Compass-type models with 2 interchangeable points. Also with thumb roller on the right-hand slider.</i>					
00512291	0 ÷ 500	0.1	30	6	72
00512292	0 ÷ 1000	0.1	30	6	72
00512293	0 ÷ 1500	0.1	40	8	72
00512294	0 ÷ 2000	0.1	40	8	72
<i>Model with disc-type slider plus scriber</i>					
00512021	0 ÷ 300	0.1			



Plastic pocket bag

2 permanent magnets



## Magnetic Magnifying Glass


Can be mounted on calipers and the like for easier vernier reading.

No	3x magnification
0051610365	3x magnification



## Brown & Sharpe Accessory Sets CENTERLINE

Each set includes practical accessories for measuring undercuts, grooves, slots, centre distances of bores, etc. – Fits all calipers with analogue or digital indication covering the measuring range 0 to 150 mm or 0 to 6 in.



### CENTERLINE Accessory Sets

**06769001** Full accessory set provided in a custom wooden case (037889)

**06739000** Full accessory set provided in a fitted wooden case including one TESA DIGIT-CAL capa  $\mu$  system (No. 00530080)

**06769008** Full accessory set in a fitted wooden case. Includes a free space arranging for a caliper covering the measuring range 0 to 150 mm / 0 to 6 in to be stored (must be ordered separately).

### Complete Sets Including:

<b>A</b>	1 Pair of disc-shaped measuring inserts	6	0,8
<b>B</b>	1 Pair of disc-shaped measuring inserts	10	0,8
<b>C</b>	1 Pair of disc-shaped measuring insert	12,5	0,8
<b>D</b>	1 Pair of cylindrical measuring inserts	1,5	9,5
<b>E</b>	1 Pair of cone-shaped measuring inserts	9	60°
<b>F</b>	1 Pair of cone-shaped measuring inserts	12,5	60°
<b>G</b>	1 Insert-holder (left)		
<b>H</b>	1 Insert-holder (right)		
	1 Socket head key		1,2



Steel with black oxide plating



Inserts with M2,5 threaded coupling.

Lowest centre distance of the mounted insert holder: 10 mm.

## Depth Measuring Foot

For use with TESA, ETALON or ROCH universal calipers with measuring ranges from 0 to 150 mm/0 to 6 in as listed on both pages A-3 and A-4 (not suitable for the models 0 to 150 mm shown on pages A-10 and A-12 or the exceptions on page A-13).



**00560013**

75 x 6



Factory standard



Hardened stainless steel



Ground measuring face